

ROOFING & WALL CLADDING

METROLL ADELAIDE









NOVEMBER 2022






Metroll[®]

BETTER SERVICE • BETTER BUILDING SOLUTIONS







Metroll Adelaide offers a wide range of profiles to suit all types of projects from small residential renovations to large commercial buildings, sheds and everything in between. Made from Australian made BlueScope® steel and backed by technical information and BlueScope® warranties.

METROLL PROFILE	BMT mm	Steel Base Mpa	Mass CB [*] kg/m ²	Mass Zinc kg/m ²	Cover	Min. Pitch ^o	Max Spans ^{**}	
							End	Internal
CORODEK®  16mm	ROOFING							
	0.42	G550	4.30	4.23	762	5 (1 in 12)	900	1200
	0.48	G550	4.88	4.81	762	5 (1 in 12)	1300	1700
	WALLING							
	0.42	G550	4.30	4.23	762		2200	2700
	0.48	G550	4.88	4.81	762		2400	2700
CORODEK® CURVING QUALITY	ROOFING							
	0.60	G300	5.95	5.88	762	5 (1 in 12)	1600	1800
	WALLING							
	0.60	G300	6.08	5.92	762		2400	3000
TRIMCLAD®  29mm	ROOFING							
	0.42	G550	4.30	4.23	762	2 (1 in 30)	1350	1900
	0.48	G550	4.88	4.81	762	2 (1 in 30)	1900	2600
	WALLING							
	0.35	G550	3.62	3.56	762		2400	3000
	0.42	G550	4.30	4.23	762		2400	3000
METLOK 700®  40mm	ROOFING							
	0.42	G550	4.68	4.61	700	1 (1 in 50)	1800	2200
	0.48	G550	5.32	5.24	700	1 (1 in 50)	2200	2800
	WALLING							
	0.42	G550	4.68	4.61	700		2200	2200
	0.48	G550	5.32	5.24	700		2400	2700
METROSPAN®  24mm	ROOFING							
	0.42	G550	4.68	4.61	690	2 (1 in 30)	1800	2400
	0.48	G550	5.32	5.24	690	2 (1 in 30)	2200	3000
	WALLING							
	0.42	G550	4.68	4.61	700		2400	3000
	0.48	G550	5.32	5.24	700		2400	3000
METROCLAD®  12mm	WALLING							
	0.35	G550	3.20	3.14	864		1300	1650
	0.42	G550	3.79	3.73	864		1400	1750
	WALLING							
METRIB®  4mm	WALLING							
	0.42	G550	3.86	3.80	850		1000	1200
	0.48	G550	4.38	4.32	850		1000	1200


*CB = Colorbond® ** Max. Spans are based on N2 Wind Category and 1.5mm substrate

METROLL PROFILE	BMT mm	Steel Base Mpa	Mass CB [†] kg/m ²	Mass Zinc kg/m ²	Cover	Min. Pitch [°]	Max Spans ^{**}	
							End	Internal
MINI CORODEK[®]								
 6mm								
	0.42	G550	3.97	3.91	825		1150	1450
SPANPLUS 330								
 44mm								
	0.42	G550	1.625	1.625	330	1 (1 in 50)	N1 4500	
HI DECK								
 50mm								
	0.42	G550	5.04	4.96	670	1 (1 in 50)	2550	3200


*CB = Colorbond[®] ** Max. Spans are based on N2 Wind Category and 1.5mm substrate

		MATERIAL	THICKNESS mm	WEIGHT m ²	COVER Std Panels		
MAC INTERLOCKING PANEL	 Rib Height 25mm	WALLING ONLY					EXPRESS WIDTH
		Colorbond [®]	0.55	4.9 kg	200 mm 250 mm 300 mm	0 mm	
			0.75	6.08 kg		5 mm	
		Aluminium	0.70	2.23 kg		10 mm	
		Copper	0.7	5.5 kg		15 mm	
		Redcor [®]	0.7	7.2 kg		20 mm	
MAC NAIL STRIP	 Rib Height 38mm	ROOFING & WALLING				Min. Pitch 7 [°]	PAN WIDTH
		Colorbond [®]	0.55	4.9 kg	265 mm 340 mm	180 mm	
			0.75	6.08 kg		-	
		Aluminium	0.70	2.23 kg		490 mm	
		Copper	0.7	5.5 kg			
		Redcor [®]	0.7	7.2 kg			
MAC SNAP LOCK	 Rib Height 25mm or 38mm	ROOFING & WALLING				Min. Pitch 3 [°]	PAN WIDTH
		Colorbond [®]	0.55	4.9 kg	25mm 180 - 525 mm 38mm 180 - 491 mm		
			0.75	6.08 kg			
		Aluminium	0.70	2.23 kg			
		Copper	0.7	5.5 kg			
		Redcor [®]	0.7	7.2 kg			
MAC STANDING SEAM	 Rib Height 25mm or 38mm	ROOFING & WALLING				Min. Pitch 3 [°]	PAN WIDTH
		Colorbond [®]	0.55	4.9 kg	25mm 180 - 530 mm 38mm 180 - 505 mm		
			0.75	6.08 kg			
		Aluminium	0.70	2.23 kg			
		Copper	0.7	5.5 kg			
		Redcor [®]	0.7	7.2 kg			
MAC DISTINCTION	 Rib Height 42mm	ROOFING	Min. Pitch 1 [°]		PANEL WIDTH	MAX SPANS mm	
		0.55 BMT, G300			322 mm	End	Internal
						900	1200
		WALLING					
		0.55 BMT, G300			322 mm	1200	1500

MATT FINISH




Bluegum®




Shale Grey™




Surfmist®



Monument®



Basalt®



Dune®


CLASSIC FINISH



Dover White™




Surfmist®




Evening Haze®




Southerly®




Dune®




Paperbark®




Classic Cream™




Shale Grey™




Bluegum®




Windspray®




Gully®




Jasper®




Wallaby®




Basalt®




Woodland Grey®




Monument®




Night Sky®




Ironstone®




Deep Ocean®



Cottage Green®



Pale Eucalypt®



Manor Red®

BLUESCOPE® STEEL WARRANTIES

Warranties are subject to exclusions, application and eligibility criteria. For full terms and conditions and to determine the eligibility of your product for the warranty visit bluescopesteel.com.au/warranties or contact BlueScope on 1800 800 789. Warranties provided by BlueScope do not affect consumer rights under the Australian Consumer Law.

The COLORBOND® steel colours shown have been reproduced to represent actual product colours as accurately as possible. However, we recommend checking against an actual product sample. COLORBOND® and ® colour names are registered trade marks of BlueScope Steel Limited. ™ colour names are trade marks of BlueScope Steel Limited.

To determine the most suitable material for your project, please contact your supplier or see colorbond.com/create.



METROLL ADELAIDE
70 - 72 Rundle Road, Salisbury South, SA 5106
Phone: 08 8282 3300

metroll.com.au

All reasonable care has been taken in the compilation of the information contained in this brochure. All recommendations on the use of Metroll products are made without guarantee as conditions of use are beyond the control of Metroll. It is the customers responsibility to ensure that the product is fit for its intended purpose and that the actual conditions of use are suitable. Metroll pursues a policy of continuous development and reserves the right to amend specifications without prior notice. The Metroll M and Logo are registered trademarks of Metroll. COLORBOND®, ZINCALUME®, GALVASPAN® steels are all registered trademarks of BlueScope Steel Limited.