



## DURABLE DOT FASTENERS

A heavy duty range of button fasteners providing a grip which is maintained over many years of use. Being self piercing they can be simply attached without the need for pre-punching most fabrics. Durable Dot Fasteners are used on heavy duty sports clothing, protective outerwear, luggage, leather goods and a for a wide range of military applications.

### BUTTONS



**Barrel Length 3/16"**  
636.100 Nickel Plate

**Barrel Length 1/4"**  
670.100 Nickel Plate  
670.401 Florentine

**Barrel Length 5/16"**  
665.100 Nickel Plate  
Hand Tool Punch 164

670.813 Brass  
670.822 Black  
Footpress Tool 1401



Embossed Buttons  
Also Available

### SOCKETS



**Normal Action**  
C548.100 Nickel Plate  
C548.401 Florentine  
C548.800 Brass  
C548.322 Black  
Footpress Tool 1410C

#### Easy Action

E548.100 Nickel Plate  
E548.401 Florentine  
E548.800 Brass  
E548.322 Black  
Footpress Tool 1410E

#### Hard Action

T548.100 Nickel Plate  
T548.401 Florentine  
T548.800 Brass  
T548.322 Black  
Footpress Tool 1410T

### STUDS



550.100 Nickel Plate  
550.401 Florentine Bronzed  
550.800 Brass  
550.322 Black  
Footpress Tool 1412

### DURABLE EYELETS



**Barrel Length 1/4"**  
550A.100 Nickel Plate  
550A.401 Florentine  
550A.800 Brass  
550A.822 Black

Footpress Tool 1407

**Barrel Length 5/16"**  
550C.100 Nickel Plate

## STAINLESS STEEL DURABLE FASTENERS FOR MARINE USE



**BUTTONS**  
582-1-13



**SOCKETS**  
582-1-3 Regular  
582-1-8 Easy  
582-1-5 Tight



**STUDS**  
582-1-1



**DURABLE EYELETS**  
582-1-2

### DURABLE SOCKET FIT SPIKE



Nickel Plated Brass Socket  
Brass Pin  
Box Quantity 500

### DURABLE SCREW STUDS



Stainless Steel  
8-15 Self Tapping  
  
XN-103937 5/8"  
XN-103934 3/8"

### DURABLE GYPSY STUD



Nickel Plated Brass  
  
552-100

QUANTITY BOX SIZE FOR THE ABOVE IS 1,000 UNLESS SPECIFIED

MANUFACTURED BY



W: [www.mandc.com.au](http://www.mandc.com.au)  
A: 412 North East Road Windsor Gardens 5087  
T: +61 8 8261 8866  
F: +61 8 8261 7556

SINCE 1957



# CARR

# FASTENERS

## LIFT THE DOT FASTENERS

A heavy duty fastener range, which locks firmly on three sides and can only be released by lifting the fourth side at the point where the embossed 'Lift the Dot' Trademark appears. The perfect fastener for use on canvas and leathers goods, military and heavy materials.

### LTD - SOCKET



#### REGULAR

608.100 Nickel Plate

Prongs 5.6 mm long



#### LONG

609.100 Nickel Plate

Prongs 7.9 mm long

### LTD - CLINCH PLATES



#### REGULAR

708A.100 Nickel Plate

### LTD - SCREWABLE STUD



#### SINGLE HEIGHT

(952x3/8) Nickel Plate

#### DOUBLE HEIGHT

(953x3/8) Nickel Plate

### LTD - STUD TWO SCREW FIXING



#### SINGLE HEIGHT

848.100 Nickel Plate

Stud has two screw holes in base

## COMMON SENSE FASTENERS

A positive locking with the stud button held in position by a spring until turned by hand - to prevent accidental opening. Ideal for boat and vehicle covers, blinds, bags, leather goods. Suitable for hand assembly only.

### CSF - STUD



#### REGULAR

401.100 Nickel Plate



#### LONG

402.100 Nickel Plate

### CSF - PRONGED EYELET



#### REGULAR

400.100 Nickel Plate

Hand Tool: 450, 400

### CSF - WASHER



#### SINGLE HEIGHT

400A.100 Nickel Plate

### CSF - TURN BUTTON 2 PRONG



#### SINGLE HEIGHT

410.100 Nickel Plate

#### DOUBLE HEIGHT

412.100 Nickel Plate

### CSF - CLINCH PLATE



410A.100 Nickel Plate

## MANUFACTURED BY



MITCHELL & CHEESMAN

SINCE 1957

W: [www.mandc.com.au](http://www.mandc.com.au)

A: 412 North East Road Windsor Gardens 5087

T: +61 8 8261 8866

F: +61 8 8261 7556



# CARR

# FASTENERS

## INDUSTRIAL FASTENERS

### ROPE END CLIPS

Rope end clips are an easy way preventing ropes from fraying at the ends. Rope end clips also provide a solid anchor point on a rope. Easy and quick to attach.



Part No.	Rope Size			Finish	Chuck	Die
	No.	mm	In.			
550-2-7.305 550-2-7.316	6	19.05	0.75	Steel 316 S/S	1241	1242
550-2-8.305 550-2-8.316	8	25.40	1.0	Steel 316 S/S	1243	1244

### ROPE SPLICE CLIPS

Rope splice clips provide a simple method of splicing rope ends together. The splice clip provides a strong and effective method of joining ropes or creating loops.



Part No.	Rope Size			Finish	Chuck	Die
	No.	mm	In.			
550-21-1.305 550-21-1.316	6	19.05	0.75	Steel 316 S/S	1261	1262
550-21-2.305 550-21-2.316	8	25.40	1.0	Steel 316 S/S	1263	1264
550-21-3.305	10	31.75	1.25	Steel	1265	1266
550-21-4.800	6	19.05	0.75	Brass	1261	1262
550-21-5.800	8	25.40	1.0	Brass	1263	1264

### BELT LOOP 1"



720-1"-100 Nickel

### MATTRESS VENTILATOR



590-9-19-318 Chrome  
590-9-19-100 Nickel

Use with ACE 7 Eyelet

### TRIM FASTENER



X49082 Zinc

Box Quantity 3,000

### EDGE CLIP



16220-11 Carbon Steel

Box Quantity 8,000

### SNAP SAC



613-1-6 Plastic

Box Quantity 5,000

### STRAP 1" EYELET & WASHER



590-3-1-806 Brass

775-10-806 Brass


### SHELVING CLIP / MAGI CLIP



550-13-92 Zinc

Box Quantity 2,500

### CAN SECURING CLIPS



**Tight Action**  
5.15mm Zinc Plate  
T550-13-26-300

**Easy Action**  
9.11mm Zinc Plate  
E550-13-26-300

Box Quantity 8,000

## MANUFACTURED BY



MITCHELL & CHEESMAN

SINCE 1957

W: [www.mandc.com.au](http://www.mandc.com.au)

A: 412 North East Road Windsor Gardens 5087

T: +61 8 8261 8866

F: +61 8 8261 7556




# CARR

# FASTENERS

## ATTACHING PRESS TOOLS

A different chuck and die is required for all types of sizes of fasteners and clips. Tools are simple to change in presses to allow the assembly of many fasteners on one press (L part numbers to suit M369 hand press), (SP00 not suitable for H50 H/duty press).

## SP EYELET AND WASHER



### FASTENER

\*SP00  
SP0  
SP1  
SP3  
SP4  
SP6  
SP7  
SP9



### CHUCK

T1669  
T1611 (L)  
T1544 (L)  
T1532 (L)  
T1613  
T1542  
T1538  
T1615



### DIE

T1670  
T1612  
T1545  
T1533  
T1614  
T1543  
T1539  
T1616

(L) is for M325, M369 where applicable.  
\*Not suitable for H50

## DURABLES

Socket & button	T1410C	T1401
Stud & eyelet	T1412	T1407

## ROPE END CLIP

550-2-7	T1241	T1242
550-2-8	T1243	T1244

## ROPE SPLICE CLIP



550-21-1 / 550-21-4  
550-21-2 / 550-21-5  
550-21-3



T1261  
T1263  
T1265



T1262  
T1264  
T1266

## CONVERTER- Press tools to hand tools



192



194

## HAND TOOLS

Hand tools are used when volume requirements do not warrant the purchase of a press, or press assembly is not practical or possible.

## SP EYELET AND WASHER



FASTENER	TOOL
SP00	N/A
SP0	180
SP1	181
SP3	183
SP4	184
SP6	186
SP7	187
SP9	189

## LIFT THE DOT



708A Socket 151-608



952 Stud 169B



895 Stud 171

## COMMONSENSE



400 Eyelet 450-400



412 Stud 171

## DURABLE



Button Eyelet 164

## MANUFACTURED BY



MITCHELL & CHEESMAN

SINCE 1957

W: [www.mandc.com.au](http://www.mandc.com.au)  
A: 412 North East Road Windsor Gardens 5087  
T: +61 8 8261 8866  
F: +61 8 8261 7556



# CARR FASTENERS

## PRODUCT OVERVIEW

### Durable Dot Fasteners



#### BUTTONS

- 636 - 5mm Barrel
- 670 - 6mm Barrel
- 582 - 1 - 13 (316 S/S)



#### SOCKETS

- C548 - Normal Action
- E548 - Easy Action
- T548 - Hard Action
- 582 - 1 - 3 (316 S/S Normal Action)
- 582 - 1 - 5 (316 S/S Tight Action)
- 582 - 1 - 8 (316 S/S Easy Action)



#### STUDS

- 550 - Clinch Type
- 582 - 1 - 1 (316 S/S)



#### EYELET

- 550A - 6mm Barrel
- 550C - 8mm Barrel
- 582 - 1 - 2 (316 S/S)



#### EMBOSSSED

Embossed Buttons Also Available

### FINISHES

Nickel, Florentine Bronzed, Brass, Black, and 316 Stainless Steel durable fasteners for marine use.

### Lift The Dot Fasteners



#### SOCKET

- 608 - 5.6mm - Regular
- 609 - 7.9mm - Long



#### CLINCH PLATES

- 708 - Use with 608 or 609



#### STUD - 2 SCREW

- 848 - Single



#### SCREWABLE STUD

- 952 - Single Height
- 953 - Double Height

### Common Sense Fasteners



#### STUD - 2 SCREW

- 401 - Regular
- 402 - Long



#### STUD - 2 PRONG

- 410 - Single Height
- 412 - Double Height



#### PRONGED EYELET

- 400 - Suits all Common Sense Fasteners
- Hand Tool: 400 - 450



#### CLINCH PLATE

- 410 - Use with 410 or 412



#### WASHER

- 400a - Single Height

### Self Piercing Eyelets

	SIZE	EXT(A)	INT(B)	BARREL(C)
	SP00	6.7mm	3.6mm	6.4mm
	SP0	9.5	4.6	5.2
	SP1	12.7	6.8	4.8
	SP3*	19.1	7.9	5.6
	SP4*	20.6	9.5	5.6
	SP6*	22.2	11.1	5.6
	SP7*	27.0	12.7	7.0
	SP9*	31.8	15.9	7.9

\* Optional spur tooth available in sizes SP3-SP9  
\* 316 Stainless Steel available in sizes SP3-SP9

### Industrial Fasteners



#### ROPE SPLICE CLIP

- 550 - 21 - 1\* 19.05 mm NO 6
- 550 - 21 - 2\* 25.40 mm NO 8
- 550 - 21 - 3 31.17 mm NO 10



#### ROPE END CLIP

- 550 - 2 - 7\* 19.05mm NO 6
- 550 - 2 - 8\* 25.40 mm NO 8

\* Also Available in 316 Stainless Steel

### Miscellaneous Fasteners



#### STRAP 1" EYELET

- 590 - 3 - 1 - 806 HAND TOOL 182



#### STRAP 1" WASHER

- 775 - 10 - 1 - 806



#### BELT LOOP 1"

- 720 - 1 - 100



#### TRIM FASTENER

- X49082



#### SNAP SAC

- 613 - 1 - 6 (Plastic)



#### EDGE CLIP

- 16220 - 11 (Carbon Steel)



#### SHELVING CLIP / MAGI CLIP

- 550 - 13 - 92 (Zinc)



#### CAN SECURING CLIP

- T550 - 13 - 26 - 300 - Tight
- E550 - 13 - 26 - 300 - Easy



#### MATTRESS VENTILATOR

- 590 - 9 - 19 (TOOL T1550)

\*Available in Nickel and Gold Zinc  
ACE 7 TOOL 1893 SP7 TOOL 1538

### Hand Tools

	FASTENER	TOOL
	Lift The Dot	
	708A Socket	151 - 608
	952 Stud	169B
	953 Stud	168B

### Self Piercing Eyelets

	FASTENER	TOOL
	SP00	N/A
	SP0	180
	SP1	181
	PS3	183
	PS4	184
	SP6	186
	SP7	187
	SP9	189

### Durable Fasteners

	Button / Eyelet	164
	Die Holder	194

### Common Sense Fasteners

	400 Eyelet	400 - 450
	412 Stud	171

### Converter

	Enabling press tools to be used as hand tools	
	194	192

### Attaching Press & Tools

	FASTENER	CHUCK (A)	DIE (B)
	*SP00	T1669	T1670
	SP0	T1611(L)	T1612
	SP1	T1544(L)	T1545
	SP3	T1532(L)	T1533
	SP4	T1613	T1614
	SP6	T1542	T1543
	SP7	T1538	T1539
	SP9	T1615	T1616

\* Various other Chucks and Dies available



#### H50-H68 Heavy Duty Foot Press

Depth of throat 115mm (4.5")  
Height of mounting 865mm (34")  
Takes all size eyelets & washers by changing chuck & die.  
Heavy duty presses can be used for all sizes of eyelets (except SP00), rope end/splice clips and durables supplied with threaded plunger to suit eyelets and plain plunger to suit fasteners

#### HP100 Hand Press

The hand press is used for all sizes of brass eyelets, up to SP7's in stainless steel, durable fasteners, and rope clips up to and including 8mm.

## MANUFACTURED BY



MITCHELL & CHEESMAN

SINCE 1957

W: www.mandc.com.au

A: 412 North East Road Windsor Gardens 5087

T: +61 8 8261 8866

F: +61 8 8261 7556



## Self Piercing Eyelets

SIZE	EXT(A)	INT(B)	BARREL(C)
SP00	6.7mm	3.6mm	6.4mm
SP0	9.5	4.6	5.2
SP1	12.7	6.8	4.8
SP3*	19.1	7.9	5.6
SP4*	20.6	9.5	5.6
SP6*	22.2	11.1	5.6
SP7*	27.0	12.7	7.0
SP9*	31.8	15.9	7.9

\* Optional spur tooth available in sizes SP3-SP9

\* 316 Stainless Steel available in sizes SP3-SP9

### Self Piercing Eyelets



SP00	N/A
SP0	180
SP1	181
PS3	183
PS4	184
SP6	186
SP7	187
SP9	189



### H50-H68

#### Heavy Duty Foot Press

Depth of throat 115mm (4.5")

Height of mounting 865mm (34")

Takes all size eyelets & washers by changing chuck & die.

Heavy duty presses can be used for all sizes of eyelets (except SP00), rope end/splice clips and durables supplied with threaded plunger to suit eyelets and plain plunger to suit fasteners

### Converter



Enabling press tools to be used as hand tools

194

192

### Attaching Press & Tools



FASTENER	CHUCK (A)	DIE (B)
*SP00	T1669	T1670
SP0	T1611(L)	T1612
SP1	T1544(L)	T1545
SP3	T1532(L)	T1533
SP4	T1613	T1614
SP6	T1542	T1543
SP7	T1538	T1539
SP9	T1615	T1616

\* Various other Chucks and Dies available



### HP100 Hand Press

The hand press is used for all sizes of brass eyelets, up to SP7's in stainless steel, durable fasteners, and rope clips up to and including 8mm.

MANUFACTURED BY



MITCHELL & CHEESMAN

SINCE 1957

W: [www.mandc.com.au](http://www.mandc.com.au)

A: 412 North East Road Windsor Gardens 5087

T: +61 8 8261 8866

F: +61 8 8261 7556