




Air Scrubber Kit - 5,000m³/hr


1. 5000m³/hr Air Scrubber Box
2. 300mm Centrifugal Fan
3. Filters Options
4. Ducting & Hood

SPECIFICATION SHEET: 5,000M³/H AIR SCRUBBER




Air Scrubber 5,000m³/hr

Max Air Flow:	5,000m ³ /hr
Weight:	125kg (without filters)
Duct Diameter:	300mm
Dimensions LxWxH:	1564 x 714 x 963mm
Lifting Method:	Forklift/Lifting Sling
Filters Options:	H13 HEPA (standard/high capacity) F9 (standard/high capacity) F5 Activated Carbon
Alarms:	Light/Sound/Contact Relay
Stackable:	Yes
Additional Info:	Sliding Filter Frame Activated Carbon Filter suitable up to 40°C H13, F9 & F5 Filter suitable up to 70°C



SPECIFICATION SHEET: CENTRIFUGAL FAN 300MM



Centrifugal Fan 300mm

Noise Level:	77dBA @ 1m
Motor:	Motor: 2.2kW, 4.8A, 2900rpm
Connection	415V, 3 Phase, 32A, 4 Pin
Duct Diameter:	300mm
Dimensions LxWxH:	1023 x 684 x 1088mm
Weight:	100kg
Lifting Method:	Forklift/Lifting Slings
Options:	Silencers Zones 1/2/21/22 20 Amp Plug
Temperature:	Range: -20°C to +55°C *High-Temperature available on request

Fan Curve

