



Amola Chair

Defined by its graceful curves and remarkably sleek form, Amola is a high-quality chair suitable for impactful and stylish office environments. The Amola can blend elegance and affordability with a contemporary flair that feels both airy and dynamic.



Design
Manufacture
Create



Dimensions

	AMOLA - A	AMOLA - A
Height	1160 - 1220 mm	935 - 995 mm
Seat depth	450 mm	450 mm
Seat width	530 mm	530 mm
Distance from floor to seat	445 - 505 mm	445 - 505 mm
Backrest width	435 mm	435 mm
Distance from seat to the top of backrest	715 mm	490 mm
Width between armrest	550 mm	550 mm
Distance from floor to armrest	630 - 690 mm	630 - 690 mm
From seat to armrest	195 mm	195 mm
Tilt angle degree	103° - 117°	103° - 117°

Warranty

- 5 year warranty

Material Description

1. Upholstery / Full-Grain Leathergenuine Leather, Microfiber PU, Fabric
2. Armrest / Aluminum Alloy
3. Backrest / PP35% + PP28%
4. Seat / PP +30% GF Moulded Foam
5. Mechanism / Aluminum ALloy Multi-Function
6. Gas-lift / Steel
7. Base / 340mm Aluminum Alloy
8. Caster / Back PU



Height Adjustment

Control rod on the left hand side of mechanism.

To lower seat, place your full weight on the chair, and engage actuator lever. When the desired height is reached, release the actuator.

To raise the seat, shift your weight to your feet. Engage actuator. Chair will rise automatically

Position chair so your feet are flat on the floor, and lower legs are at a 90-degree angle (or better) relative to upper legs.



Tilt Lock

Control rod on the right hand side of mechanism

Pull out the control rod to unlock tilt function and adjust, release control rod when desired angle reached. Tilt lock allows the user to sit in an upright position for keyboarding, while providing a comfortable rocking/reclining motion during work or break.



Get In Touch

Sydney Office:

U5 / 19 Unwins Bridge Road,
St Peters NSW 2044
Phone : 02 9517 4093

Melbourne Office:

101 Moray Street,
South Melbourne VIC 3205
Phone : 0429 654 292

Website : www.mn8design.com

Email : sales@mn8design.com