

WALTER KNOLL

Conference-X Table

The agile conference table system: Conference-X Table can be converted or dismantled in seconds without any previous knowledge or tools. Elegant X-frame legs support the slim, sensuous table top – maximizing aesthetics and efficiency.




Design
Manufacture
Create

Spaces are used with ever-increasing versatility. What does a table look like that combines aesthetics with multi-functionality, and meets a huge variety of requirements – from short meetings to international symposiums? It was with these questions in mind that Conference-X Table was developed by our designers and engineers. The mainstay is the solid aluminium X-frame base – elegant, light, and structurally strong.

The patented Easy Handle connection technology is all in the base: the mechanism engages the table top, and handles engage the locking mechanism. Positioning pins guarantee the table tops are connected precisely. In this way legs and feet are easily, quickly, and securely connected.

Conference-X also comes in larger sizes with a working surface depth of up to 140cm, allowing people to sit opposite each other and work together.



Conference-X Table

Model No

- 4900

Table top and edge versions

- There are two types of edge available.

Basic: weight-optimised core plate with straight edge. Thickness: 33 mm. Surfaces: HPL laminate, fenix® and veneers from price groups II, IV, V, VI.



Advanced: weight-optimised core plate with rounded edge (any attachment sides must always have a straight edge). Thickness: 33 mm, rounded off to 12 mm. Rounded edge, varnished or sprayed black. Surfaces: fine textured paint, paint white no. .03, HPL laminate, fenix® and veneers from price groups II, IV, V, VI.

Table Legs

- Highly polished aluminium, with integrated height adjustment. The leg can be set at the external position (for connecting other tables), or internal position. No tools needed to attach the leg. Each of the four handles ("Easy Handle") on a leg can be locked separately.

Ordering

- The surfaces for the relevant price groups can be found on the back pages. Please always specify the surface when ordering, e.g. 4910-80 B in wengé = 4910-80 B.85. Continuous veneer configurations must be planned by Walter Knoll otherwise there is no guarantee that veneers will match when making individual table tops into table systems.

Accessories

Legs

- The four single handles („Easy Handle“) of the leg can be locked separately. Art.-no. 4900) Note: All desk tops are generally prepared for the attachment of vertical cable duct, cable mesh, USB-Power-Port and modesty panel.




Modesty panel

- With textile look in anthracite. Height 30 cm. Art.-no. with the abbreviation "-S") Note: Modesty panels are not available for boot-shaped table tops.




Cable duct horizontal

- For horizontal cable duct a back mesh is used. (Art.-no. with the abbreviation "-N")



Cable duct vertical

- A black mesh is used. For electrification a vertical cable duct is necessary. (Art.-no. 4980)



USB power-port

- The USB power port is used to charge mobil devices.



Connectors

- Every conference tables can be equipped with plug-ins for power and different media connectors.






Table Tops

Rectangular tops




End tops




Corner tops 45° and 50°




Corner extension tops rectangular




Head tops 45° and 50°








Circle segment



Boat-shaped tops



Conference Table Systems



For a complete range of product specifications for Conference-X Tables

Get In Touch

Sydney Office:

6 - 10 Phillips Road,
Kogarah NSW 2217
Phone : 02 9517 4093

Melbourne Office:

101 Moray Street,
South Melbourne VIC 3205
Phone : 0429 654 292

Website : www.mn8design.com

Email : sales@mn8design.com