


Termigreen™ Termite Barrier System.  
Product description

The Termigreen™ Termite Barrier System is a specialised termite resistant impregnated polyester fabric (polymer) termite barrier system. Our company has engaged the services of: CertMart International Pty Ltd ABN: 80 111 217 568. As auditor for compliance with the BCA under the “Codemark System”, this process follows that of our product “ProtectAnt™ Termite Barrier System”

General:

The perimeter barriers, construction joints barriers, suspended floor barriers and slab penetration collars are made from a polyester fabric (polymer) impregnated with a termite resistant compound by a factory process or PVC collar, used as a physical barrier to prevent the concealed entry of subterranean termites into the structure. The perimeter barrier is placed to finish at the face of the external brickwork or to the face of the applied finish material and fixed to the top of slab. The barrier is placed finished not less than 75mm above finished ground level or not less than 25mm where concrete or similar materials abut the perimeter of the structure. Where it is not possible to achieve a minimum inspection zone of 25 mm, a secondary barrier must be installed.

The Termigreen™ Termite Barrier System slab penetration flanges are fitted to the slab penetration pipe and held in position on the pipe penetration by means of a set size PVC collar or cable tie. The slab penetration flange or polymer fabric are placed at a mid slab depth and below the finished slab height. The pipe penetration collars may be fitted prior to concrete pour or retrofitted.



Termigreen™ Termite barrier system.  
Product description

Components:

Termigreen™ barrier impregnated with AD-TR-SC Green

PVC minimum 1.00mm with a D shore of better than 80

Following the technical assessment for CodeMark, the materials used in this barrier system has a serviceable life that will exceed 50 years.


In summary:

The Termigreen™ termite management system offered for installation on your projects will provide “whole of building protection against concealed entry by subterranean termites into the structure” as per the Australian Standards code AS3660.1 of 2000 and the total system complies with the requirements of the BCA and the Queensland amendments related to termite barrier systems.

Please review the following documents as compliance.

Technical Assessment of The White Ant Co Pty Ltd termite management systems for Codemark.

Installation drawings are assessable on our website or an Installation Manual can be supplied on request.



Please do not hesitate in contacting me if you have any further queries with reference to this matter.

Regards

Tony Di Betta.  
National Technical & Field Operations Manager  
24<sup>th</sup> November 2020